# Noposibirsk 2013

### 7th International

## Symposium on the Syrphidae

20th - 26th June 2013 Novosibirsk, Russia

#### PROGRAMME AND ABSTRACTS









# 7<sup>th</sup> International Symposium on the Syrphidae

#### **PROGRAMME AND ABSTRACTS**

20th - 26th June 2013

Novosibirsk, Russia

#### Organized by

The Russian Foundation of Basic Research, Russia Optecgroup, ZEISS, Russia Institute of Systematics and Ecology of Animals, Russian Academy of Sciences, Siberian Branch

#### Organizing committee

Anatolij V. Barkalov Ludmila V. Petrozhizkaya Vera I. Rodkina Daria Yu. Kropacheva Vera S. Sorokina Dmitrij E. Taranenko

#### Congress venue

The resort hotel "Sosnovka", 633000, Russia, Novosibirsk area, Berdsk Phone: +7 (383) 334 48 28, +7 (383) 334 40 38

E-mail: info@sosnovka.biz http://www.sosnovka.biz

#### Postal address

Institute of Systematics and Ecology of Animals, Russian Academy of Sciences, Siberian Branch, Frunze Street 11, Novosibirsk 630091, Russia Phone/fax: +7 (383) 2170973

#### Edited by

Anatolij V. Barkalov

### **CONTENTS**

Preface	4
Programme	5
Abstracts	10
List of syrphidologist	50
Index of authors	57

# Modelling the potential geographic distribution and diversity of nine strictly protected species of hoverflies (Diptera: Syrphidae) in Serbia

Dubravka Milić, Snežana Redenković, Marija Milicić, Jelena Stepanov, Ante Vujić & Smiljka Šimić

Department of Biologu and Ecology, University of Novi Sad, Faculty of Sciences, Trg Dositeja Obradovica 2, Novi Sad 21000, Serbia

E-mails: dubravka.moloc@dbe.uns.ac.rs, snezana.radenkovic@dbe.uns.ac.rs, mmmarija88@gmail.com, jelenas028@gmail.com, ante.vujic@dbe.uns.ac.rs,

smiljka.simic@dbe.uns.ac.rs

According to Law on Environmental Protectiom, 33 species of hoverflies in Serbia aew strictly protected. The aim of this study was to predict the current species distribution of strictly protected hoverflies, as well as to create maps of current species diversity in Serbia. Maximum enthropy approach (MAXENT software, version 3.3.3) has been used to model suitable climatic habitat. Only nine (Cheilosia griseifacies Vujić, 1994, Cheilosia insignis Loew, 1857, Cheilosia melanura rubra Vujić, 1996, Cheilosia schnabli Becker, 1894, Heringia larusi Vujić, 1999, Merodon desuturinus Vujić, Šimić & Radenković, 1995, Orthonevra montana Vujić, 1999, Pipizella zloti Vujić, 1997, Sphegina sublatifrons Vujić, 1990) of 33 species were modeled due to sample restriction. Results have shown that the greatest impact of climate parameters, in a large number of species, have a mean temperature of wettest quarter and mean temperature of driest quarter. Models has indicated that North Dinaric mountains and mountains in eastern Serbia are highly suitable for six species (C. insignis, H. larusi, O. montana, P. zloti, S. sublatifrons) and North Serbia - Province Vojvodina for another two species (C. griseifacies, C. schnabli), while C. melanura rubra has potential to inhabit the South Dinaric mountains. Diversity map of strictly protected species if hoverflies in Serbia has shown that the areas with the largest number of species in Serbia are mountains Kopaonik and Dubasnica. Results in this paper can significantly

7<sup>th</sup> International Symposium on the Syrphidae 20<sup>th</sup>–26<sup>th</sup> June Novosibirsk, Russia contribute to the further monitoring and conservation of strictly protected hoverflies in Serbia.



\*\*\*\*\*\*\*\*\*\*\*



Novosibirsk, 2013

Russia